Installation Manual

Green Zen Organic Mulch — correct installation for UAE gardens & landscapes

100% coconut coir organic mulch — engineered for UAE climate conditions.

Not pine bark. Not wood chip. pH neutral. 18–24 month lifespan.

Updated July 2026 · mulch.ae

Installation Manual

This manual covers correct installation of Green Zen Organic Mulch in UAE gardens and landscapes, so you get the full moisture-saving and soil benefits.

1. Preparation

- Clear existing weeds and debris from the bed — do not lay mulch over live weeds.
- Lightly cultivate compacted, crusted desert soil so water and air can penetrate.
- Water the soil thoroughly the day before mulching — mulch seals in existing moisture, it does not add it.
- Check and, if needed, lay or adjust drip irrigation lines first.

2. Application depth

Apply a consistent layer: 50mm for residential beds and 70mm for commercial and high-evaporation exposed areas. Deeper is not better — beyond ~100mm you risk restricting air and water exchange.

3. Around plants and trees

- Keep mulch 50–100mm clear of trunks and stems — never pile it against the base ("volcano mulching" causes rot).
- For trees, mulch out to the drip line where practical.
- Around succulents and cacti, keep mulch thin and off the crown.

4. Watering in

After laying, water lightly to settle the mulch and reduce wind displacement. Then reduce irrigation frequency — mulched beds typically need noticeably less water than bare soil.

5. Coverage reference

Area	Depth 50mm	Depth 70mm
10 m²	0.5 m³	0.7 m³
25 m²	1.25 m³	1.75 m³
50 m²	2.5 m³	3.5 m³
100 m²	5.0 m³	7.0 m³
250 m²	12.5 m³	17.5 m³
500 m²	25 m³	35 m³

Coverage formula: Area (m²) × Depth (m) = Volume (m³). Use the calculators at mulch.ae/tools/ for exact quantities.

Ready to order or get a quote?

Green Zen Organic Mulch is available in 10L (AED 25), 20L (AED 40), 50L (AED 55) and bulk per m³ (AED 500), with UAE-wide delivery. Message us on WhatsApp +971 58 654 8551 or request a quote at mulch.ae/contact/.